



## SAFETY DATA SHEET CLEENOL PROBE WIPES

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** CLEENOL PROBE WIPES

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxon OX16 1RB  
UK  
Tel : +44 (0)1295 251721  
Fax : +44 (0)1295 269561  
sales@cleenol.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

**Physical hazards** Flam. Liq. 2 - H225  
**Health hazards** Eye Irrit. 2 - H319 STOT SE 3 - H336  
**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** Xi;R36. F;R11. R67.

**Human health** Vapours and spray/mists in high concentrations are narcotic. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Nausea, vomiting.

**Environmental** The product is not expected to be hazardous to the environment.

**Physicochemical** The product is highly flammable. Vapours may form explosive mixtures with air.

#### 2.2. Label elements

## CLEENOL PROBE WIPES

### Pictogram



### Signal word

Danger

### Hazard statements

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

### Precautionary statements

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P404 Store in a closed container.  
Dispose of contents / containers as normal waste

### Contains

PROPAN-2-OL

### Supplementary precautionary statements

P233 Keep container tightly closed.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

### 2.3. Other hazards

#### Other Hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>PROPAN-2-OL</b>		<b>60-100%</b>
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-0000
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 2 - H225	F;R11 Xi;R36 R67	
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### Composition comments

The data shown are in accordance with the latest EC Directives.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.

#### Inhalation

Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.

#### Ingestion

Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

## CLEENOL PROBE WIPES

**Skin contact** Immediately remove contaminated clothing. Rinse immediately with plenty of water. Remove contaminated clothing.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system.

**Ingestion** Gastrointestinal symptoms, including upset stomach.

**Skin contact** Repeated exposure may cause skin dryness or cracking. Irritating to skin.

**Eye contact** Irritating to eyes. Symptoms following overexposure may include the following: Pain. Redness.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Specific treatments** Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemicals, sand, dolomite etc. Do not use water, if avoidable.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is highly flammable. Vapours may form explosive mixtures with air. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Keep combustible materials away from spillage. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

## CLEENOL PROBE WIPES

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Do not wear contact lenses. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Use explosion proof electric equipment. Eye wash facilities and emergency shower must be available when handling this product. During application and drying, solvent vapours will be emitted.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

**Storage class** Flammable liquid storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**SHELF LIFE OF DILUTION**  
12 MONTHS

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Contact lenses should not be worn when working with this chemical. The following protection should be worn: Chemical splash goggles.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

**Other skin and body protection**

Use engineering controls to reduce air contamination to permissible exposure level. Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Provide eyewash station and safety shower.

**Hygiene measures**

Provide eyewash station. Wash promptly if skin becomes contaminated. Promptly remove non-impervious clothing that becomes contaminated. When using do not eat, drink or smoke.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

### 9.2. Other information

## CLEENOL PROBE WIPES

**Other information**                      None.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity**                              No test data specifically related to reactivity available for this product or its ingredients.

#### 10.2. Chemical stability

**Stability**                                No particular stability concerns.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions**      None known.

#### 10.4. Conditions to avoid

**Conditions to avoid**                      Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

**Materials to avoid**                      Keep away from oxidising materials, heat and flames.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products**      Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m<sup>3</sup>.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Inhalation**                                Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

**Ingestion**                                Gastrointestinal symptoms, including upset stomach.

**Skin contact**                              Repeated exposure may cause skin dryness or cracking. Irritating to skin.

**Eye contact**                                Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

### SECTION 12: Ecological Information

**Ecotoxicity**                                The product is not expected to be hazardous to the environment.

#### 12.1. Toxicity

**Toxicity**                                    The product is not believed to present a hazard due to its physical nature.

#### 12.2. Persistence and degradability

**Persistence and degradability**      The product is biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential**              No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility**                                    The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment**      This product does not contain any substances classified as PBT or vPvB.

## CLEENOL PROBE WIPES

### 12.6. Other adverse effects

**Other adverse effects**                      None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information**                      Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**                         Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Containers should be thoroughly emptied before disposal because of the risk of an explosion.

### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)**                         1993

**UN No. (IMDG)**                            1993

**UN No. (ICAO)**                            1993

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)**        FLAMMABLE LIQUID, N.O.S.

**Proper shipping name (IMDG)**        FLAMMABLE LIQUID, N.O.S.

**Proper shipping name (ICAO)**        FLAMMABLE LIQUID, N.O.S.

**Proper shipping name (ADN)**        FLAMMABLE LIQUID, N.O.S.

#### 14.3. Transport hazard class(es)

**ADR/RID class**                             3

**ADR/RID label**                            3

**IMDG class**                                3

**ICAO class/division**                    3

#### **Transport labels**



#### 14.4. Packing group

**ADR/RID packing group**                II

**IMDG packing group**                    II

**ICAO packing group**                    II

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

#### 14.6. Special precautions for user

**EmS**                                         F-E, S-E

## CLEENOL PROBE WIPES

**Emergency Action Code** 3YE

**Hazard Identification Number** 33  
(ADR/RID)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78**  
**and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**Guidance** CHIP for everyone HSG228.  
Workplace Exposure Limits EH40.  
Safety Data Sheets for Substances and Preparations

### 15.2. Chemical safety assessment

## SECTION 16: Other information

**Revision date** 06/07/2017

**Revision** 6

**Supersedes date** 05/05/2017

**SDS number** D29

**Risk phrases in full** R11 Highly flammable.  
R36 Irritating to eyes.  
R67 Vapours may cause drowsiness and dizziness.

**Hazard statements in full** H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.